# **Refine Search**

#### Search Results -

Terms	Documents
(fraction\$6 near1 interpolat\$6) and (underflow or under-flow) and L13	0

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:



Refine Search







#### **Search History**

DATE: Thursday, March 10, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=USPT; PLUR=YES; OP=ADJ			
<u>L16</u>	(fraction\$6 near1 interpolat\$6) and (underflow or under-flow) and 113	0	<u>L16</u>
<u>L15</u>	L14 and L13	0	<u>L15</u>
<u>L14</u>	(fraction\$6 near1 decimat\$6) and (overflow or over-flow)	3	<u>L14</u>
<u>L13</u>	L11 and L12	16	<u>L13</u>
<u>L12</u>	(analog near1 devices).as.	1058	<u>L12</u>
<u>L11</u>	wilson.inv. and 341/\$.ccls.	67	<u>L11</u>
<u>L10</u>	L6 and L9	1	<u>L10</u>
<u>L9</u>	(fraction\$6 near1 decimat\$6) same (overflow or over-flow)	2	<u>L9</u>
<u>L8</u>	(fraction\$6 near1 decimat\$6) near10 (overflow or over-flow)	0	<u>L8</u>
<u>L7</u>	L5 and L6	0	<u>L7</u>
<u>L6</u>	(fraction\$6 near1 interpolat\$6) near10 (underflow or under-flow)	1	<u>L6</u>
<u>L5</u>	(fraction\$6 near (decimat\$6 or decimal)) near10 (overflow or overflow)	3	<u>L5</u>

<u>L4</u>	L2 or L3	11587	<u>L4</u>
<u>L3</u>	(first near1 clock\$) same (second near1 clock\$)	9898	<u>L3</u>
<u>L2</u>	(write near clock\$) same (read\$6 near1 clock\$)	1932	<u>L2</u>
<u>L1</u>	(fraction\$6 near (decimat\$6 or decimal)) same (faction\$6 near interpolat\$6)	0	<u>L1</u>

### END OF SEARCH HISTORY



## **Refine Search**

#### Search Results -

Terms Documen	
L13 and L12	1

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

Database:

US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins


Search:



Refine Search







#### **Search History**

## DATE: Thursday, March 10, 2005 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	Set Name result set
DB=USPT; PLUR=YES; OP=ADJ			
<u>L14</u>	L13 and L12	1	<u>L14</u>
<u>L13</u>	(offset\$ or off-set\$ or (off near1 set)) same L5	. 240	<u>L13</u>
<u>L12</u>	L8 and L10.	3	<u>L12</u>
<u>L11</u>	L8 same L10	0	<u>L11</u>
<u>L10</u>	L9 same (offset\$ or off-set\$ or (off near1 set))	144	<u>L10</u>
<u>L9</u>	(underflow or under-flow or (under near1 flow)) same (overflow or over-flow or (over near1 flow))	5575	<u>L9</u>
<u>L8</u>	(synchronization or synchroniz\$6 or sync) same L5	2170	<u>L8</u>
<u>L7</u>	clock\$ and L1	1	<u>L7</u>
<u>L6</u>	L5 and L1	0	<u>L6</u>
<u>L5</u>	L4 or L2	11587	<u>L5</u>
<u>L4</u>	(write near1 clock\$) same (read\$6 near1 clock\$)	1932	<u>L4</u>
<u>L3</u>	L1 and L2	0	<u>L3</u>

 L2
 (first near1 clock\$) same (second near1 clock\$)
 9898
 L2

 L1
 5970093.pn.
 1
 L1

### END OF SEARCH HISTORY